

Walls as
you've never
touched
before

RADIUS
O F F I C E

info@radiusoffice.com
www.radiusoffice.com



FLUFFO

Fluffo Soft Wall Factory

Fluffo is the Polish manufacturer of soft, acoustic wall panels. Fluffo products constitute an innovative solution, which combines emotions, design and exceptional utility. Fluffo broad product offer available in numerous models and colours, caters to all tastes. Its excellent acoustic properties let you enjoy the comfort of silence in all interiors. Thousands of clients have trusted Fluffo throughout Europe. Fluffo panels were chosen to decorate homes and offices, where the acoustics left a lot to be desired, and the investors didn't want to compromise the aesthetics or the design of the interior

Nagrody i wyróżnienia

Awards

2018


New Fluffo collection the
finalist of TOP Design
Award 2018

2015


Diament Designu 2015* Award at Warsaw
Build 2015 International Construction and
Interior Design Fair

2014

Fluffo among the finalists of TOP
Design Award 2014



The Fluffo Idea




Cosiness

Fluffo is the new interior design idea, where cosiness plays the key role. All Fluffo products are covered with a soft finish, made up of millions of colourful polyamide microfibers glued to the surface; they are sensuous and velvety to the touch.



Design

Fluffo means elegant and creative design, giving the interior a new unique style. It is a design masterpiece – just a few panels will transform the entire interior.




Acoustics

All Fluffo products effectively absorb sound, the secret lies in the open-cell structure of the material they are made of. The soundproofing properties of the Fluffo panels were tested at the accredited acoustic laboratory of the Marine Technology Institute in Gdansk.



Quality

Fluffo team consists of experienced specialists who select the best materials, and assure that our products possess the best properties as far as safety, durability and precision are concerned. We are the best – inimitable!



Variety

Fluffo panels come in many complex shapes, sizes and colours. They have both decorative and acoustic applications. The numerous models, and few dozen available colours give the freedom to create any combination - possibilities are endless.

Choose the best solution to fit your needs

Fluffo offers 6 collections, to aid the creation of a beautiful and functional interior:



Fluffo SOFT

Soft wall panels



Fluffo IZO

Sound insulation panels



Fluffo AIR

Overhead elements



Fluffo FIRE-RESIST

Fire retardant office wall panels



Fluffo ART

Large-format wall panels



Fluffo GLASS

Glass surface panels

All Fluffo collections share the same characteristics: elegant design and excellent sound absorption properties. Our products are available in many complex shapes, sizes and colours. Velvety Fluffo finish is soft and sensuous to the touch creating a comfortable and discreet mood in the interior.

Go on, cuddle up!

Need more information about our collections – go to www.fluffo.pl

Choose the colour that fits you

Fluffo palette consists of 52 original colours, you are free to create any combination, possibilities are endless.





Do you have a
Fluffo idea?
Go on, share it!

Should your needs go beyond our standard offer, or you require different dimensions, shapes or colours, let us know, we will do our best to help you.

The Fluffo Idea

All Fluffo products are covered with a soft finish, made up of millions of colourful polyamide microfibers glued to the surface; they are sensuous and velvety to the touch.



Fluffo SOFT

Soft wall panels

- 3D panels
- Flat panels with bevelled edge
- Flat panels


Fluffo SOFT is a collection of decorative, soundproofing wall panels, available in a wide selection of colours, shapes and thicknesses. They soundproof a room in a beautiful and stylish way. With Fluffo SOFT you can enjoy a cosy, quiet and most importantly, beautiful interior. Go on, get to work!

Fluffo SOFT



Material

- 1. Pianka poliuretanowa**
Polyurethane foam
- 2. Struktura Fluffo 1 mm**
Fluffo finish




Firmness



soft


Acoustic properties



sound absorbent




Number of colours




52 colours

Installation




with use of adhesive

Customization



possible

Available thicknesses



4 thicknesses / 3D

Edge




straight or bevelled



Fluffo SOFT / Stick Edge

Fluffo SOFT


3D panels



3D




Fluffo SOFT / Chain



Chevron




Grubość (thickness): 2 - 5 cm
1 szt. (pc) = 0,10 m²
10 szt. (pcs) = 1,01 m²



Chain




Grubość (thickness): 2 - 5 cm
1 szt. (pc) = 0,13 m²
7 szt. (pcs) = 0,94 m²




Flow




Grubość (thickness): 2 - 5 cm
1 szt. (pc) = 0,11 m²
9 szt. (pcs) = 0,97 m²



Link




Grubość (thickness): 2 - 5 cm
1 szt. (pc) = 0,18 m²
6 szt. (pcs) = 1,05 m²



Cube




Grubość (thickness): 2 - 5 cm
1 szt. (pc) = 0,25 m²
4 szt. (pcs) = 1,00 m²



Cubic




Grubość (thickness): 2 - 5 cm
1 szt. (pc) = 0,06 m²
16 szt. (pcs) = 1,00 m²



Fluffo SOFT

Flat panels with bevelled edge



bevelled edge




Fluffo SOFT / Hexa Edge M




Hexa Edge M




1 szt. (pc) = 0,10 m²
10 szt. (pcs) = 1,04 m²



Pixel Edge L




1 szt. (pc) = 0,25 m²
4 szt. (pcs) = 1,00 m²



Pixel Edge M




1 szt. (pc) = 0,14 m²
7 szt. (pcs) = 0,98 m²




Pixel Edge S



1 szt. (pc) : 0,06 m²
16 szt. (pc) : 1,00 m²






Fluffo SOFT / Stick Edge

Line Edge




1 szt. (pc) = 0,13 m²
8 szt. (pcs) = 1,00 m²



Triada Edge




1 szt. (pc) = 0,06 m²
16 szt. (pcs) = 0,97 m²




Tele Edge M



1 szt. (pc) = 0,14 m²
7 szt. (pcs) = 0,95 m²




Stick Edge




1 szt. (pc) = 0,20 m²
5 szt. (pcs) = 1,00 m²

Diamond Edge



1 szt. (pc) = 0,05 m²
18 szt. (pcs) = 0,97 m²

Dot Edge M



1 szt. (pc) = 0,09 m²
12 szt. (pcs) = 1,03 m²

Fluffo SOFT / Pixel Edge M



Fluffo SOFT

Flat panels



2 / 3 / 4 / 5 cm
4 thicknesses




*except Tele Cut L, M, S


Fluffo SOFT / Tele L, Tele S




Pixel L




1 szt. (pc) = 0,25 m²
4 szt. (pcs) = 1,00 m²



Pixel M




1 szt. (pc) = 0,14 m²
7 szt. (pcs) = 0,98 m²



Pixel S




1 szt. (pc) = 0,06 m²
16 szt. (pcs) = 1,00 m²



Tele L




1 szt. (pc) = 0,25 m²
4 szt. (pcs) = 0,98 m²



Tele M




1 szt. (pc) = 0,14 m²
7 szt. (pcs) = 0,95 m²



Tele S




1 szt. (pc) = 0,06 m²
16 szt. (pcs) = 0,98 m²



Dot L





1 szt. (pc) : 0,20 m²
5 szt. (pcs) : 0,98 m²



Dot M



1 szt. (pc) : 0,09 m²
12 szt. (pcs) : 1,03 m²




Fluffo SOFT / Dot M



Tele Cut L




Grubość (thickness) : 3 cm
1 szt. (pc) : 0,19 m²
5 szt. (pcs) : 0,93 m²



Tele Cut M




Grubość (thickness) : 3 cm
1 szt. (pc) : 0,10 m²
10 szt. (pcs) : 1,03 m²



Tele Cut S




Grubość (thickness) : 3 cm
1 szt. (pc) : 0,04 m²
22 szt. (pcs) : 0,98 m²



Hexa L




1 szt. (pc) : 0,16 m²
6 szt. (pcs) : 0,97 m²



Hexa M




1 szt. (pc) : 0,10 m²
10 szt. (pcs) : 1,04 m²



Hexa S




1 szt. (pc) : 0,05 m²
18 szt. (pcs) : 0,97 m²




Fluffo SOFT / Hexa M

Line




1 szt. (pc) : 0,13 m²
8 szt. (pcs) : 1,00 m²



Triada



1 szt. (pc) : 0,06 m²
16 szt. (pcs) : 0,97 m²



Fluffo IZO

Sound insulation panels


Fluffo IZO will decorate the interior and at the same time insulate the room from exterior sound sources. Panels built from layers of specially selected materials absorb sound and constitute a sound barrier, which works both ways: they don't let the sound in or out of the room. They are an ideal solution when you have a loud neighbour behind a thin wall, a dividing wall transmits sound between two offices, or you want to hold a private conference, or you want your secrets to stay within your four walls. Create a beautiful, quiet interior with Fluffo IZO.

Fluffo IZO



Material

1. **Warstwa niespionionego kauczuku (2 mm)**
High density rubber
2. **Otwartokomórkowa warstwa spionionego elastycznego, kauczuku**
Layer of open-cell flexible, foamed rubber
3. **Pianka poliuretanowa pochłaniająca dźwięk**
Sound absorbent polyurethane foam
4. **Struktura Fluffo (1 mm)**
Fluffo finish




Firmness



soft


Acoustic properties



acoustic



Number of colours




52 colours

Installation




with use of adhesive

Customization



possible

Available thicknesses



1 thickness

Edge




bevelled, straight on request



Fluffo IZO / Hexa Edge M




Fluffo IZO / Line Edge



Hexa Edge M




Grubość (thickness) : 62 mm
 1 szt. (pc) : 0,1 m²
 10 szt. (pcs) : 1,04 m²



Line Edge




Grubość (thickness) : 62 mm
 1 szt. (pc) : 0,13 m²
 8 szt. (pcs) : 1,00 m²



Pixel Edge L




Grubość (thickness) : 62 mm
 1 szt. (pc) : 0,25 m²
 4 szt. (pcs) : 1,00 m²



Pixel Edge M




Grubość (thickness) : 62 mm
 1 szt. (pc) : 0,14 m²
 7 szt. (pcs) : 0,98 m²




Pixel Edge S



Grubość (thickness) : 62 mm
 1 szt. (pc) : 0,06 m²
 16 szt. (pcs) : 1,00 m²



Fluffo IZO / Pixel Edge L




Fluffo FIRE-RESIST

Fire retardant office wall panels

Fluffo FIRE-RESIST wall panels are intended for public spaces, where finishing materials must comply with the fire prevention standards. Fluffo fire retardant, acoustic wall panels are available in many shapes, colours and two thicknesses, allowing the creation of unique, 3D compositions. They will work perfectly in offices, conference rooms and office telephone booths, creating safe and functional work space.

Fluffo FIRE-RESIST




Acoustic properties	Flammability	Number of colours	Installation	Customization	Available thicknesses	Edge
acoustic	fire retardant D-s1, d0	52 colours	with use of adhesive	possible	2 thicknesses	straight




Fluffo FIRE-RESIST / Line


Pixel L




1 szt. (pc) : 0,25 m²
4 szt. (pcs) : 1,00 m²



Pixel M




1 szt. (pc) : 0,14 m²
7 szt. (pcs) : 0,98 m²



Pixel S




1 szt. (pc) : 0,06 m²
16 szt. (pcs) : 1,00 m²



Hexa L




1 szt. (pc) : 0,16 m²
6 szt. (pcs) : 0,97 m²



Hexa M




1 szt. (pc) : 0,10 m²
10 szt. (pcs) : 1,04 m²



Hexa S




1 szt. (pc) : 0,05 m²
18 szt. (pcs) : 0,97 m²



Tele L




1 szt. (pc) : 0,25 m²
4 szt. (pcs) : 0,98 m²



Tele M





1 szt. (pc) = 0,14 m²
7 szt. (pcs) = 0,95 m²





Tele S



1 szt. (pc) = 0,06 m²
16 szt. (pcs) = 0,98 m²



Fluffo FIRE-RESIST / Tele M




Fluffo FIRE-RESIST / Pixel L

Tele Cut L




1 szt. (pc) : 0,19 m²
5 szt. (pcs) : 0,93 m²



Tele Cut M




1 szt. (pc) : 0,10 m²
10 szt. (pcs) : 1,03 m²




Tele Cut S




1 szt. (pc) : 0,04 m²
22 szt. (pcs) : 0,98 m²



Dot L




1 szt. (pc) : 0,20 m²
5 szt. (pcs) : 0,98 m²



Dot M




1 szt. (pc) : 0,09 m²
12 szt. (pcs) : 1,03 m²




Line




1 szt. (pc) : 0,13 m²
8 szt. (pcs) : 1,00 m²




Triada



1 szt. (pc) : 0,06 m²
16 szt. (pcs) : 0,97 m²



Fluffo FIRE-RESIST / Triada



Fluffo ART

Large-format wall panels

Fluffo ART is a small art piece; it is the effect of Fluffo's cooperation with the young Polish designer, Joanna Kabala. It is the first single large-format panel in our portfolio, available in a wide range of colours and several shapes. It is not permanently affixed to the wall; it can be taken down and turned, or swapped with another piece of Fluffo ART, allowing the creation of a unique composition every time. The entire collection was created with long corridors (often acoustically neglected), stair cases and large offices in mind. Where the wall needs a strong accent and the acoustics of the interior leaves much to be desired.


Fluffo ART

Firmness



soft


Acoustic properties



acoustic




Number of colours




52 colours + predefined sets

Installation




with use of mounting clips

Customization



possible different panel sizes

Available thicknesses



1 thickness


Edge



bevelled




1. Pianka poliuretanowa
Polyurethane foam
2. Struktura Fluffo 1 mm
Fluffo finish
3. MDF
4. Klipsy montażowe
Mounting clips




Art 1




Grubość (thickness) : 56 mm
1 szt. (pc) : 1,57 m²



Art 2






Grubość (thickness) : 56 mm
1 szt. (pc) : 1,23 m²



Art 3



Grubość (thickness) : 56 mm
1 szt. (pc) : 1,08 m²




Fluffo ART / Art 1

Art 4




Grubość (thickness) : 56 mm
1 szt. (pc) : 0,80 m²



Art 5



Grubość (thickness) : 56 mm
1 szt. (pc) : 1,04 m²



Fluffo AIR

Overhead elements


Fluffo AIR - overhead panels will be ideal in large spaces such as: open space offices, wide corridors, and spacious halls, where the acoustic effect of wall panels will be limited. Fluffo AIR is available in all Fluffo colours and shapes. Fluffo AIR will bring form and colour to the spacious interiors, significantly improving their acoustics.

Fluffo AIR


 Material

1. Płyta na bazie wełny szklanej o dużej gęstości, zabezpieczonej welonem
High density glass wool panel secured with glass fibre

2. Struktura Fluffo
Fluffo finish



Acoustic properties



acoustic




Flammability



fire retardant D-s1, d0

Number of colours




52 colours

Installation




installation to the ceiling
with steel wires

Customization



possible

Available thicknesses



1 thickness

Edge




straight



Dot




1 szt. (pc) : 0,79 m²



Pixel



1 szt. (pc) : 1,00 m²




Fluffo AIR / Pixel



Tele




1 szt. (pc) : 0,99 m²



Hexa



1 szt. (pc) : 0,65 m²



Fluffo AIR / Dot




Fluffo GLASS


Glass surface panels

Fluffo GLASS acoustic panels with the unique suction cup mounting system for glass surface application. Wide range of colours and shapes make them the ideal, unique decoration for glass walls. Fluffo GLASS panels absorb sound and reduce echoes within the interior, they will significantly improve the acoustics in glazed conference rooms or offices where windows occupy large surfaces. The suction cup mounting system will also hold panels on lacquered MDF commonly used in office furniture.

Fluffo GLASS

 Material

- 1. Pianka poliuretanowa
Polyurethane foam
- 2. Struktura Fluffo
Fluffo finish
- 3. Płyta PCW
PVC
- 4. Przyssawki
Suction cups




Firmness



soft


Acoustic properties



acoustic




Number of colours




52 colours

Installation




with use of suction cups

Customization



possible

Available thicknesses




1 thickness

Edge




straight, bevelled on request

Pixel L




1 szt. (pc) : 0,25 m²
4 szt. (pcs) : 1,00 m²



Tele L



1 szt. (pc) : 0,25 m²
4 szt. (pcs) : 0,98 m²




Fluffo GLASS / Dot L



Hexa L




1 szt. (pc) : 0,16 m²
6 szt. (pcs) : 0,97 m²





Dot L




1 szt. (pc) : 0,2 m²
5 szt. (pcs) : 0,98 m²



Our shapes



The installation of Fluffo SOFT panels is simple, quick and clean



You can easily do it yourself and enjoy the instant effect of your work. The panels should be affixed to the wall using a flexible mounting adhesive with high initial bonding. A thin strip of the adhesive (about 5mm wide), should be applied to the outline of the panel, then press the panel lightly into place. After application of the adjacent panels, you can adjust their position.

You are done!

Fluffo Fix – is fool proof. It works on all surfaces


We recommend Fluffo Fix adhesive for Fluffo SOFT panel installation, it is an odourless adhesive with high initial bonding, that we have tested ourselves. This adhesive has many advantages - it remains flexible for a long time allowing the adjustment of the mounted panels and has minimal shrinkage. It will glue the Fluffo SOFT panels to any surface, glass, plastic or hardboard. Fluffo Fix contains a special penetrating agent, thus there is no need for special wall preparation before panel installation. Just make sure that the surface is smooth and free of dust. Fluffo Fix will hold our panels on the ceiling.

It's been tested!

RADIUS
O F F I C E

info@radiusoffice.com
www.radiusoffice.com

Cleaning of Fluffo panels is easy and efficient



The Fluffo finish covering our panels is antistatic and does not attract dust. However, dust can still settle on them, just like on any furniture. In order to remove it use a soft brush or a vacuum cleaner with a standard brush for upholstered furniture. To remove stubborn stains from the surface of the panel, use a soft sponge slightly moistened with diluted detergent. Should the stain penetrate the panel remove the dirty panel and replace it with a new one.

Strong cleaning agents disagree with Fluffo panels

Be sure not to over rub the panel surface with a wet sponge and avoid strong detergents, such as bleach or washing powder, you might cause irremovable stains on the panel surface.

